

Day : Wednesday

Date: 9/12/2007

Time: 22:12:44

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = SHIE

First Name = JIN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------------------|-------------------------|--------|------------|---|-----------------|
| 07533855 | 5198803 | 250 | 06/06/1990 | LARGE SCALE MOVIE DISPLAY SYSTEM WITH MULTIPLE GRAY LEVELS | SHIE, JIN S. |
| 07540753 | Not Issued | 161 | 06/20/1990 | AUTOMATIC OPTICAL COUNTING SYSTEM | SHIE, JIN S. |
| 10810458 | Not Issued | 30 | 03/25/2004 | Stack-integrated package of optical transceiver for single core full duplex fiber communications | SHIE, JIN SHOWN |
| 11009431 | Not Issued | 161 | 12/09/2004 | Packaging structure of LED-multiplexer/driver hybridization for LED printer head | SHIE, JIN SHOWN |
| 11201868 | 7247542 | 150 | 08/10/2005 | FABRICATION METHOD OF SPIRAL INDUCTOR ON POROUS GLASS SUBSTRATE | SHIE, JIN SHOWN |
| 11322875 | Not Issued | 30 | 12/30/2005 | Monolithic fabrication method and structure of array nozzles on thermal inkjet print head | SHIE, JIN SHOWN |
| 11437074 | Not Issued | 30 | 05/18/2006 | Structure and manufacturing method of high precision chip capacitor fabricated on silicon substrate | SHIE, JIN SHOWN |
| 60345771 | Not Issued | 159 | 01/04/2002 | Heat dissipation structure for power led package | SHIE, JIN SHOWN |
| 08036938 | 5347869 | 150 | 03/25/1993 | STRUCTURE OF MICRO-PIRANI SENSOR | SHIE, JIN-SHOWN |
| 08352067 | 5543620 | 150 | 11/30/1994 | WIDE-VIEW-ANGLE AND PLANARIZED-PACKING STRUCTURE FOR IR HEAT SENSING ELEMENTS | SHIE, JIN-SHOWN |
| 08560731 | Not Issued | 166 | 11/20/1995 | HIGH GAS PRESSURE SENSOR OF THERMAL CONDUCTIVITY TYPE | SHIE, JIN-SHOWN |
| 08701799 | 5659127 | 250 | 08/26/1996 | SUBSTRATE STRUCTURE OF | SHIE, JIN-SHOWN |

| | | | | | |
|-----------------|----------------|-----|------------|---|------------------|
| | | | | MONOLITHIC GAS SENSOR | |
| <u>08738646</u> | <u>5860741</u> | 250 | 10/30/1996 | ABSOLUTE RADIATION THERMOMETER | SHIE, JIN-SHOWN |
| <u>08805435</u> | <u>5820264</u> | 250 | 02/25/1997 | TYMPANIC THERMOMETER ARRANGEMENT | SHIE, JIN-SHOWN |
| <u>08909089</u> | <u>6055107</u> | 150 | 08/12/1997 | DIFFRACTIVE LENS AND PREPARATION METHOD THEREOF | SHIE, JIN-SHOWN |
| <u>08950305</u> | Not Issued | 161 | 10/14/1997 | HIGH GAS PRESSURE SENSOR OF THERMAL CONDUCTIVITY TYPE | SHIE, JIN-SHOWN |
| <u>09010980</u> | <u>6013935</u> | 150 | 01/22/1998 | SOLID-STATE SWITCH DRIVEN BY THERMOVOLTAIC GENERATOR | SHIE, JIN-SHOWN |
| <u>09841882</u> | Not Issued | 161 | 04/24/2001 | LED array with optical isolation structure and method of manufacturing the same | SHIE, JIN-SHOWN |
| <u>09975125</u> | <u>6541834</u> | 150 | 10/09/2001 | SILICON PRESSURE MICRO-SENSING DEVICE AND THE FABRICATION PROCESS | SHIE, JIN-SHOWN |
| <u>10102131</u> | <u>6480389</u> | 250 | 03/19/2002 | HEAT DISSIPATION STRUCTURE FOR SOLID-STATE LIGHT EMITTING DEVICE PACKAGE | SHIE, JIN-SHOWN |
| <u>11396383</u> | Not Issued | 30 | 03/30/2006 | Wire-bonding free packaging structure of light emitted diode | SHIE, JIN-SHOWN |
| <u>60014069</u> | Not Issued | 159 | 03/25/1996 | ABSOLUTE RADIATION THERMOMETER | SHIE, JIN-SHOWN |
| <u>07211718</u> | <u>4916926</u> | 150 | 06/07/1988 | LOCKING APPARATUS | SHIEH, JIN R. |
| <u>08596754</u> | <u>5613387</u> | 150 | 02/05/1996 | LOCK THAT CAN BE USED INTERCHANGEABLY AS A LOCK AND A HAND TOOL | SHIEH, JIN R. |
| <u>08215571</u> | <u>5424727</u> | 150 | 03/22/1994 | METHOD AND SYSTEM FOR TWO-WAY PACKET RADIO-BASED ELECTRONIC TOLL COLLECTION | SHIEH, JIN SHENG |
| <u>09888028</u> | Not Issued | 161 | 06/25/2001 | Table support device having changeable support members | SHIEH, JIN SHYAN |
| <u>09323377</u> | <u>6148705</u> | 250 | 06/01/1999 | TABLE SAW COMBINATION | SHIEH, JIN SHYAN |
| <u>08618141</u> | <u>5795279</u> | 250 | 03/19/1996 | PAINT ROLLER | SHIEH, JIN-FU |
| <u>07407198</u> | <u>4940267</u> | 150 | 09/14/1989 | BRACING MEDIUM FOR CASE | SHIEH, JIN-REN |

| | | | | | |
|-----------------|----------------|-----|------------|--|----------------|
| | | | | OR THE LIKE | |
| <u>07638572</u> | <u>5114167</u> | 150 | 01/08/1991 | LOCKING APPARATUS FOR USE IN A MOTOR CYCLE STAND | SHIEH, JIN-REN |
| <u>07859748</u> | <u>5214982</u> | 150 | 03/30/1992 | LOCKING DEVICE OF RATCHET WHEEL | SHIEH, JIN-REN |
| <u>07913966</u> | <u>5365758</u> | 150 | 07/17/1992 | LOCK FOR INCAPACITATING MOTORCYCLE DISK BRAKE | SHIEH, JIN-REN |
| <u>08053664</u> | <u>5379618</u> | 250 | 04/29/1993 | LOCKING DEVICE ESPECIALLY FOR USE IN LOCKING DISK BRAKE OF MOTOR CYCLE | SHIEH, JIN-REN |
| <u>08136694</u> | <u>5352001</u> | 150 | 10/15/1993 | DOOR BOLT | SHIEH, JIN-REN |
| <u>08139731</u> | <u>5490402</u> | 150 | 10/22/1993 | PADLOCK | SHIEH, JIN-REN |
| <u>08165115</u> | <u>5467618</u> | 150 | 12/10/1993 | MOTORCYCLE DISK BRAKE LOCK | SHIEH, JIN-REN |
| <u>08188850</u> | <u>5447049</u> | 250 | 01/31/1994 | PUSH-BUTTON LOCKING DEVICE | SHIEH, JIN-REN |
| <u>08254612</u> | <u>5388436</u> | 150 | 06/06/1994 | MOTORCYCLE DISK BRAKE LOCK | SHIEH, JIN-REN |
| <u>08294593</u> | <u>5544512</u> | 150 | 08/23/1994 | BURGLARYPROOF AXIAL PIN TUMBLER LOCK | SHIEH, JIN-REN |
| <u>08294594</u> | Not Issued | 161 | 08/23/1994 | STEEL CABLE LOCK | SHIEH, JIN-REN |
| <u>08346175</u> | <u>5530427</u> | 150 | 11/22/1994 | ALARM LOCK | SHIEH, JIN-REN |
| <u>08368655</u> | <u>5515947</u> | 150 | 01/04/1995 | MOTORCYCLE DISK BRAKE LOCK | SHIEH, JIN-REN |
| <u>08403487</u> | <u>5492206</u> | 150 | 03/14/1995 | MOTORCYCLE DISK BRAKE LOCK | SHIEH, JIN-REN |
| <u>08421684</u> | <u>5507160</u> | 150 | 04/13/1995 | LOCKING DEVICE FOR DISK BRAKE | SHIEH, JIN-REN |
| <u>08501663</u> | <u>5499518</u> | 150 | 07/12/1995 | MULTISTEPED DISK BRAKE LOCK FOR MOTORCYCLE | SHIEH, JIN-REN |
| <u>08522659</u> | <u>5736924</u> | 250 | 09/01/1995 | ALARMLOCK | SHIEH, JIN-REN |
| <u>08524794</u> | Not Issued | 161 | 09/07/1995 | STRUCTURE OF PADLOCK | SHIEH, JIN-REN |
| <u>08743623</u> | <u>5819889</u> | 250 | 11/04/1996 | MOTORCYCLE DISK BRAKE LOCK | SHIEH, JIN-REN |
| <u>08752063</u> | <u>5785289</u> | 250 | 11/19/1996 | HOLDER FOR A BICYCLE | SHIEH, JIN-REN |

| | | | | | |
|-----------------|----------------|-----|------------|-------------------------------|----------------|
| | | | | CABLE LOCK | |
| <u>08989004</u> | <u>5916279</u> | 250 | 12/11/1997 | MOTORCYCLE DISK BRAKE LOCK | SHIEH, JIN-REN |

[Search and Display More Records.](#)

| | | | |
|---------------------------------|-----------------------------------|----------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name | First Name | <input type="button" value="Search"/> |
| | <input type="text" value="SHIE"/> | <input type="text" value="JIN"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|-------|--|--|---------------------|
| 1 | BRS | L6 | 6 | (US-20060198404-\$ or US-20050213983-\$ or US-20020009258-\$).did. or (US-6574398-\$ or US-6195485-\$ or US-5978401-\$).did. | US-PGPUB; USPAT | 2007/09/12 22:10 |
| 2 | BRS | L7 | 6333 | (cavity crater trench etch\$4) near12 (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T | 2007/09/12 22:10 |
| 3 | BRS | L8 | 6 | L6 and L7 | US-PGPUB; USPAT; EPO; JPO; DERWEN T | 2007/09/12 22:10 |
| 4 | BRS | L9 | 2835 | (etch\$4) near9 (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWEN T | 2007/09/12 22:10 |
| 5 | BRS | L10 | 87434 | reflect\$5 near9 metal\$5 | US-PGPUB; USPAT; EPO; JPO; DERWEN T | 2007/09/12 22:10 |

| | Comments | Error Definition | Errors |
|---|----------|------------------|--------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|---|--|---------------------|
| 6 | BRS | L11 | 19 | (US-20070188085-\$ or US-20060198404-\$ or US-20060118893-\$ or US-20050286595-\$ or US-20050286594-\$ or US-20050286586-\$ or US-20050286585-\$ or US-20050286584-\$ or US-20050286583-\$ or US-20050213983-\$ or US-20040091011-\$ or US-20030053501-\$ or US-20010033722-\$).did. or (US-7184455-\$ or US-6829286-\$ or US-6488704-\$ or US-6435734-\$ or US-6148016-\$ or US-5703863-\$).did. | US-PGPUB; USPAT | 2007/09/12 22:10 |
| 7 | BRS | L12 | 19 | L9 and L10 and L11 | US-PGPUB; USPAT; EPO; JPO; DERWEN T | 2007/09/12 22:10 |
| 8 | BRS | L13 | 17 | L12 not L8 | US-PGPUB; USPAT; EPO; JPO; DERWEN T | 2007/09/12 22:10 |

| | Comments | Error Definition | Errors |
|---|----------|------------------|--------|
| 6 | | | |
| 7 | | | |
| 8 | | | |

| | Type | Ref # | Hits | Search Text |
|----|------|-------|-------|--|
| 1 | BRS | S1 | 1 | 10/810458 |
| 2 | BRS | S13 | 81202 | reflect\$5 near7 metal\$5 |
| 3 | BRS | S2 | 1 | S1 and (glass\$2 fresnel\$3 clear transparent\$3 dom\$2 hemispher\$5 curv\$4) |
| 4 | BRS | S4 | 1 | S1 and (etch\$4 trench\$4 crater 'p-n' p near4 n near6 junction\$2) same (photodiod\$4 detect\$5 photodetect\$5) |
| 5 | BRS | S3 | 1 | S1 and (etch\$4 cavit\$4 trench\$4 crater) same (photodiod\$4 detect\$5 photodetect\$5) |
| 6 | BRS | S30 | 26 | S13 and S29 |
| 7 | BRS | S26 | 1 | (US-20060118893-\$) .did. |
| 8 | BRS | S34 | 38 | S13 and S33 |
| 9 | BRS | S28 | 1 | (US-20070188085-\$) .did. |
| 10 | BRS | S27 | 1 | (US-6435734-\$) .did. |
| 11 | BRS | S16 | 6333 | (cavity crater trench etch\$4) near12 (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) |
| 12 | BRS | S8 | 1 | S1 and (laserdiod\$2 laser emit\$4 VCSEL LED) near7 (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) same (cavity crater trench) |
| 13 | BRS | S7 | 9938 | etch\$4 same (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) |
| 14 | BRS | S5 | 0 | S1 and (etch\$4 near7 (pd photodiod\$4 detect\$5 photodetect\$5)) |
| 15 | BRS | S6 | 1 | S1 and (etch\$4 near12 (pd photodiod\$4 detect\$5 photodetect\$5)) |
| 16 | BRS | S42 | 5 | S41 and S21 and transceiv\$4 |
| 17 | BRS | S10 | 1 | S1 and ((transmit\$4 near6 receiv\$4) transceiv\$4) |

| | DBs | Time Stamp | Comments | Error Definition |
|----|---------------------------------------|------------------|----------|------------------|
| 1 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 16:17 | | |
| 2 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 19:07 | | |
| 3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:06 | | |
| 4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:28 | | |
| 5 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:25 | | |
| 6 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 20:58 | | |
| 7 | US-PGPUB | 2007/09/11 19:22 | | |
| 8 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 20:58 | | |
| 9 | US-PGPUB | 2007/09/11 20:43 | | |
| 10 | USPAT | 2007/09/11 19:29 | | |
| 11 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 19:03 | | |
| 12 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:40 | | |
| 13 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:54 | | |
| 14 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:29 | | |
| 15 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:30 | | |
| 16 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:25 | | |
| 17 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:42 | | |

| | Errors |
|-----------|---------------|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |

| | Type | Ref # | Hits | Search Text |
|----|------|-------|--------|---|
| 18 | BRS | S9 | 2477 | (laserdiod\$2 laser emit\$4 VCSEL LED) near7 (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) same (cavity crater trench) |
| 19 | BRS | S12 | 4769 | (cavity crater trench) near7 (coat\$4 layer\$2 insulat\$4) same (cavity crater trench) near9 reflect\$5 |
| 20 | BRS | S37 | 16 | (US-20030228716-\$ or US-20020186642-\$ or US-20020056852-\$ or US-20010012244-\$).did. or (US-7148465-\$ or US-7053415-\$ or US-6611487-\$ or US-6392256-\$ or US-6185177-\$ or US-5995474-\$ or US-5835514-\$ or US-5809050-\$ or US-5771254-\$ or US-5761229-\$ or US-5715226-\$ or US-5481386-\$).did. |
| 21 | BRS | S14 | 6 | S7 and S9 and S11 and S12 and S13 |
| 22 | BRS | S11 | 831280 | ((transmit\$4 near6 receiv\$4) transceiv\$4) |
| 23 | BRS | S22 | 19 | S18 and S19 and S20 and S21 |
| 24 | BRS | S24 | 19 | S18 and S21 and S23 |
| 25 | BRS | S19 | 4262 | (laserdiod\$2 laser emit\$4 VCSEL LED) same (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) same (cavity crater trench) |
| 26 | BRS | S21 | 87434 | reflect\$5 near9 metal\$5 |
| 27 | BRS | S31 | 14 | S11 and S30 |
| 28 | BRS | S23 | 19 | (US-20070188085-\$ or US-20060198404-\$ or US-20060118893-\$ or US-20050286595-\$ or US-20050286594-\$ or US-20050286586-\$ or US-20050286585-\$ or US-20050286584-\$ or US-20050286583-\$ or US-20050213983-\$ or US-20040091011-\$ or US-20030053501-\$ or US-20010033722-\$).did. or (US-7184455-\$ or US-6829286-\$ or US-6488704-\$ or US-6435734-\$ or US-6148016-\$ or US-5703863-\$).did. |

| | DBs | Time Stamp | Comments | Error Definition |
|----|---------------------------------------|------------------|----------|------------------|
| 18 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:16 | | |
| 19 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 19:05 | | |
| 20 | US-PGPUB; USPAT | 2007/09/11 21:00 | | |
| 21 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:47 | | |
| 22 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:42 | | |
| 23 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 19:08 | | |
| 24 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 19:16 | | |
| 25 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 19:04 | | |
| 26 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 19:07 | | |
| 27 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 20:59 | | |
| 28 | US-PGPUB; USPAT | 2007/09/11 19:08 | | |

| | Errors |
|-----------|---------------|
| 18 | |
| 19 | |
| 20 | |
| 21 | |
| 22 | |
| 23 | |
| 24 | |
| 25 | |
| 26 | |
| 27 | |
| 28 | |

| | Type | Ref # | Hits | Search Text |
|----|------|-------|-------|---|
| 29 | BRS | S18 | 2835 | (etch\$4) near9 (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) |
| 30 | BRS | S15 | 6 | (US-20060198404-\$ or US-20050213983-\$ or US-20020009258-\$).did. or (US-6574398-\$ or US-6195485-\$ or US-5978401-\$).did. |
| 31 | BRS | S20 | 18069 | (cavity crater trench etch\$4) same (coat\$4 layer\$2 insulat\$4) same (etch\$5 cavity crater trench) near9 reflect\$5 |
| 32 | BRS | S17 | 6 | S15 and S16 |
| 33 | BRS | S25 | 17 | S24 not S17 |
| 34 | BRS | S29 | 281 | (etch\$4) near9 (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) near9 (laserdiod\$2 laser emit\$4 VCSEL LED) |
| 35 | BRS | S32 | 12 | S31 not (S24 S17) |
| 36 | BRS | S33 | 241 | (etch\$4) near9 (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) same (laserdiod\$2 laser emit\$4 VCSEL LED) near7 (cavity crater trench etch\$4) |
| 37 | BRS | S36 | 16 | S35 not (S24 S17) |
| 38 | BRS | S35 | 17 | S11 and S34 |
| 39 | BRS | S39 | 39 | S33 and S21 |
| 40 | BRS | S41 | 237 | (laserdiod\$2 laser emit\$4 VCSEL LED) near7 (etch\$4) near12 (pd photodiod\$4 photodetect\$5 photo near1 (diode detect\$4)) |
| 41 | BRS | S43 | 27 | S41 and S21 |
| 42 | BRS | S44 | 25 | S43 and electric\$5 same optic\$5 |
| 43 | BRS | S38 | 1 | S3 and S21 |

| | DBs | Time Stamp | Comments | Error Definition |
|----|---------------------------------------|------------------|----------|------------------|
| 29 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 20:52 | | |
| 30 | US-PGPUB; USPAT | 2007/09/11 18:52 | | |
| 31 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 19:06 | | |
| 32 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 18:56 | | |
| 33 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/12 22:10 | | |
| 34 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 20:57 | | |
| 35 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 20:59 | | |
| 36 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:01 | | |
| 37 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:26 | | |
| 38 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 20:59 | | |
| 39 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:02 | | |
| 40 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:21 | | |
| 41 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:25 | | |
| 42 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:26 | | |
| 43 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:02 | | |

| | Errors |
|-----------|---------------|
| 29 | |
| 30 | |
| 31 | |
| 32 | |
| 33 | |
| 34 | |
| 35 | |
| 36 | |
| 37 | |
| 38 | |
| 39 | |
| 40 | |
| 41 | |
| 42 | |
| 43 | |

| | Type | Ref # | Hits | Search Text |
|----|------|-------|------|--------------------------|
| 44 | BRS | S40 | 16 | S33 and S37 and S21 |
| 45 | BRS | S46 | 1 | (US-20040080011-\$).did. |
| 46 | BRS | S45 | 10 | S44 not (S35 S24 S17) |
| 47 | BRS | S47 | 1 | (US-5679947-\$).did. |

| | DBs | Time Stamp | Comments | Error Definition |
|----|---------------------------------------|------------------|----------|------------------|
| 44 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:02 | | |
| 45 | US-PGPUB | 2007/09/11 21:34 | | |
| 46 | US-PGPUB; USPAT; EPO; JPO; DERWENT | 2007/09/11 21:27 | | |
| 47 | USPAT | 2007/09/11 21:36 | | |

| | Errors |
|-----------|---------------|
| 44 | |
| 45 | |
| 46 | |
| 47 | |